

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,060,017 B2  
APPLICATION NO. : 10/821562  
DATED : June 13, 2006  
INVENTOR(S) : Kevin E. Collier

Page 1 of 5


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

Item 57, Abstract, Line 13, after "boundary line" insert --can be formed between the--

Drawings

Sheet 4, replace Figure 5, with the figure depicted herein below, wherein the "central orifice" of "disk 178" has been labeled with --182--



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,060,017 B2  
APPLICATION NO. : 10/821562  
DATED : June 13, 2006  
INVENTOR(S) : Kevin E. Collier

Page 2 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

## Drawings

Sheet 21, replace Figure 22 with the figure depicted herein below, wherein the “nozzle” has been labeled with --436--




FIG. 22

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,060,017 B2  
APPLICATION NO. : 10/821562  
DATED : June 13, 2006  
INVENTOR(S) : Kevin E. Collier

Page 3 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings

Sheet 23, replace Figure 24 with the figure depicted herein below, wherein the "interior surface" of "sidewall 450" has been labeled with --451--




FIG. 24

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,060,017 B2  
APPLICATION NO. : 10/821562  
DATED : June 13, 2006  
INVENTOR(S) : Kevin E. Collier

Page 4 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Line 24, change "Function" to --function--

Column 8

Line 48, change "FIG. 8" to --FIG. 6--

Column 12

Line 14, change "rise" to --rises--

Column 14

Line 57, change "then" to --the--

Line 58, change "for more efficiently resuspended" to --to more efficiently resuspend--

Column 15

Line 2, change "224" to --244--

Line 4, change "illustrate" to --illustrates--

Column 17

Line 21, after "with heavy component 241 and" insert --at which--

Column 18

Line 19, change "FIG. 13" to --FIG. 13B--

Column 20

Line 6, unbold "100"

Line 12, change "276" to --270--

Line 16, change "276" to --270--

Line 53, change "276" to --270--

Column 21

Line 7, change "Function" to --function--

Line 21, after "fluid that is to" insert --be--

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,060,017 B2  
APPLICATION NO. : 10/821562  
DATED : June 13, 2006  
INVENTOR(S) : Kevin E. Collier

Page 5 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 25

Line 5, after "compromises" change "a" to --an--  
Line 21, change "480" to --482--  
Line 43, change "form" to --formed--

Column 26

Line 3, after "separating" remove "of"  
Line 7, change "has" to --as--

Column 27

Line 51, after "desired amount" insert --of--

Column 28

Line 12, change "518" to --520--  
Line 16, change "end" to --ends--

Column 29

Line 22, change "note" to --not--  
Line 29, change "540" to --504--  
Line 65, remove "from"

Column 31

Line 42, remove "from"

Signed and Sealed this

Ninth Day of September, 2008

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with a large, looped initial "J" and a distinct "D" at the end.

JON W. DUDAS  
*Director of the United States Patent and Trademark Office*